


System 3000 operating top unit BT



Specification	Order No.	Packing unit	PS	EAN
cream white glossy	5368 01	1/5	02	4010337104094
pure white glossy	5368 03	1/5	02	4010337104100
pure white matt	5368 27	1/5	02	4010337104124
anthracite	5368 28	1/5	02	4010337104131
colour aluminium	5368 26	1/5	02	4010337104117
black matt	5368 005	1	02	4010337104148
grey matt	5368 015	1/5	02	4010337104155
stainless steel	5368 600	1/5	02	4010337104162

Features

- Operation and programming with mobile end device (smartphone or tablet) via Bluetooth using the Gira Bluetooth app.
- Operation on System 3000 switching, dimming or blind insert or auxiliary insert 3-wire.

Functions on the top unit

- Operation of hangings and lighting.
- The runtime and an individual intermediate position can be saved using the System 3000 blind controller insert.
- Switch-on brightness of lighting can be saved using System 3000 dimming insert or DALI Power control unit.

Functions with the Gira Bluetooth app

- Operation of hangings and lighting with status feedback.
- Display the current hanging position or dimmer setting.
- Activate/deactivate automatic mode.
- Adjustable night mode. Status LED and function LED are not lit up continuously.
- Programming of up to 40 individual switching times.
- Blind or slat positions or switching and dimming values can be stored for each switching time.
- Switching times can be copied to other devices.
- Switching at sunrise or sunset (astro function).
- Astro time can be optimised by determining the location.
- Astro time shift adjustable.
- Random function.
- Automatic date and time refresh when connecting smartphones or tablets.
- Password protection possible for time programs and configuration.
- Save a hanging position, hanging runtime, slat reversal time.
- Changeover to inverse operation possible for blind inserts.
- Maximum brightness and minimum brightness adjustable for dimming insert.

Technical data

Accuracy	
- Per month:	± 10 s
Power reserve:	approx. 4 h
Wireless frequency:	2.402 to 2.480 GHz
Transmission power:	max. 2.5 mW, class 2
Transmission range:	typ. 10 m
Ambient temperature:	-5 °C to +45 °C

Notes

- The time is updated upon connection to the Gira Bluetooth app.
-